











- Administration via Thin Catheter: A Practical Guide. *Neonatology* 116 (2019): 211-226.
14. Lamberska T, Settlemayerova E, Smisek J, et al. Oropharyngeal surfactant can improve initial stabilisation and reduce rescue intubation in infants born below 25 weeks of gestation. *Acta Paediatrica* 107 (2018): 73-78.
  15. Kattwinkel J, Robinson M, Bloom BT, et al. Technique for intrapartum administration of surfactant without requirement for an endotracheal tube. *Journal of Perinatology* 24 (2004): 360.
  16. Tingay DG, Wallace MJ, Bhatia R, et al. Surfactant before the first inflation at birth improves spatial distribution of ventilation and reduces lung injury in preterm lambs. *J Appl Physiol* 116 (2014): 251-258.
  17. Murphy MC, Galligan M, Molloy B, et al. Study protocol for the POPART study-Prophylactic Oropharyngeal surfactant for Preterm infants: A Randomised Trial. *BMJ Open* 10 (2020): e035994.
  18. Devera, Andrea. Uso de presión positiva durante la transición neonatal. Monografía de posgrado de Neonatología. Departamento de Neonatología Hospital de Clínicas Dr. Manuel Quintela. Escuela de graduados, Facultad de Medicina. Universidad de la República. Febrero (2018) <https://drive.google.com/drive/folders/1-q11kEWISALEjm8Lex4wzycWhoLuXp1L>.
  19. Aguar M, Vento M, Dargaville PA. Minimally invasive surfactant therapy: an update. *NeoReviews* 15 (2014): e275-85.
  20. Stevens TP, Blennow M, Myers EH, et al. Early surfactant administration with brief ventilation vs. selective surfactant and continued mechanical ventilation for preterm infants. *Cochrane Database Syst Rev* (2007): CD003063.
  21. Sweet DG, Carnielli V, Greisen G, et al. European Consensus Guidelines on the Management of Respiratory Distress Syndrome - 2019 Update. *Neonatology* 115 (2019): 432-450.
  22. Stoll BJ, Hansen NI, Bell EF, et al. Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Neonatal outcomes of extremely preterm infants from the NICHD Neonatal Research Network. *Pediatrics* 126 (2010): 443-456.
  23. Klebermass-Schrehof K, Wald M, Schwandt J, et al. Less invasive surfactant administration in extremely preterm infants: impact on mortality and morbidity. *Neonatology* 103 (2013): 252-258.
  24. Kribs A. Minimally invasive surfactant therapy and noninvasive respiratory support. *Clinics in perinatology* 43 (2016): 755-771.
  25. Abdel-Latif ME, Davis PG, Wheeler KI, et al. Surfactant therapy via thin catheter in preterm infants with or at risk of respiratory distress syndrome. *Cochrane Database Syst Rev* 5 (2021): CD011672.
  26. Enhörning G, Robertson B. Lung expansion in the premature rabbit fetus after tracheal deposition of surfactant. *Pediatrics* 50 (1972): 58-66.
  27. Nold JL, Meyers PA, Worwa CT, et al. Decreased lung injury after surfactant in piglets treated with continuous positive airway pressure or synchronized intermittent mandatory ventilation. *Neonatology* 92 (2007): 19-25.
  28. Bhatt S, Alison BJ, Wallace EM, et al. Delaying cord clamping until ventilation onset improves cardiovascular function at birth in preterm lambs. *The Journal of physiology* 591 (2013): 2113-2126.