

- hospital, Blantyre, Malawi: a cross sectional descriptive study. *Malawi Med J*.2015 ;27(4) :120-124
23. Kumar R, Sing G. Study of bacterial pathogens and antibiotic sensitivity pattern of ear infections in patients with chronic suppurative otitis media attending a tertiary care hospital in Panipat, India . *J Med Sci Health* 2019;5(2):19-23
 24. Shilpa C, Sandeep S, Prakash BG, Radikha S, Virender S, Thanzeemunisa U. Current microbiological trends of chronic suppurative otitis media in a tertiary care center, Mysuru, India. *Indian J otolaryngol Head Neck surg*. 2019 ;71920; 1449-52.
 25. Hiremath B, Mudhol Rs, Vagrli MA. Bacteriological profile and antimicrobial susceptibility pattern in chronic suppurative otitis media. A 1 -year cross sectional study. *Indian J otolaryngol Head Neck Surg* .2019; 71(2) 1221-1226.
 26. Sonia A, Shamsuzzaman SM, Nazneen N, Israt S, Ferdous J and Islam S. Bacterial isolate and drug susceptibility patterns of ear discharge from patients with ear infection at shaheed Mansour Ali Medical College. *Bangladesh J med Microbiol* 2015;9(2) :20-23.
 27. Dagnachew Muley, Yitahiyih W, Getachew F, Feleke M and Tesfaye n. Bacterial isolates and drug susceptibility patterns of ear discharge from patients with ear infection at Gonder University Hospital, North Ethiopia. *BMC Ear Nose Throat Disord*.2013;13:10
 28. Wan Nur Awd, Mohd KMD, Hazama M, Siti AH and Normastura AR. Evaluation of the current bacteriological profile and antibiotic sensitivity pattern in chronic suppurative otitis media. *J of Laryngoscope Investigative Otolaryngology*. 2021; 6:1300-1306
 29. Rahel M, Moges T, Abeba W and Feleke m. bacterial profile and antimicrobial susceptibility patterns in chronic suppurative otitis media at the university of gonder comprehensive specialized Hospital, Northwest Etiopia. *PMC* 2019; 15.doi:10.1186/s13104-019-4452-4.
 30. Kim SH, Kim MG, Kim Ss, Sung HC, Geun YS. Change in detection rate of MRSA and *Pseudomonas aeruginosa* and their antibiotic sensitive in patients with chronic suppurative otitis media. *J Int Adv Otol* .2015; 11(2) 151-156.
 31. Rath S, Das Sr Padhy Rn. Surveillance of bacteria *Pseudomonas aeruginosa* and MRSA associated with chronic suppurative otitis media. *Braz J Otorhinol*. 2017; 83(2) :201-206
 32. Agarwal A, Kumar D, Goyal A, Goyal S, Singh N, and Khandelwal G. Microbiological profile and their antimicrobial sensitivity pattern in patients of otitis media with ear discharge. *Indian journal of Otology*.2013;19(1): 5.
 33. Pavneet k, Arbinder SS, Sharma S and Agarwal a. bacteriological profile and antibiotic resistance pattern of ear discharge in a tertiary care hospital. *Indian J Microbiol Res* 2016; 3(40): 423-428
 34. Sriram G, jinu VI, Srinivasa v and Jayendiran S. Bacteriological profile and their antibiotic susceptibility pattern in chronic suppurative otitis media in tertiary care hospital. Govindaraj S et al. *Int J otorhinolaryngol Head Neck surg* 2019 ;5(4):871-875
 35. Araya Ghebreyesus Washiun and Yilikal Zemene . Bacterial profile and antimicrobial susceptibility patterns of otitis media in Ayder teaching and referral hospital, Mekelle University, Northethiopia. *Wasihun and Zemene springer plus* 2015;4:701.
 36. Das M, Mohanty D, Rao US. A study on the Microbiology of chronic suppurative Otitis Media in a tertiary care hospital In South India. 2012;11(3): 24-8
 37. Vishwanath S, Mukhopadhyay C, Prakash R, Pillai S, Pujary K, Pujary P. Chronic suppurative otitis media: optimizing initial antibiotic therapy in a tertiary care setup. *Indian J Otolaryngol Head Neck Surg*. 2012 Sep;64(3):285-9.
 38. Nagraj M, Premalatha DE. Bacteriological and mycological profile of chronic suppurative otitis media. *Int J Otolaryngol Head Neck surgery* .2018;4(3): 754-8
 39. Sharma K, Agarwal A, Khurana Pm. Comparison of bacteriology in bilaterally discharging ears in chronic suppurative otitis media. *Indian j of otolaryngol and Head Neck surgery*. 2010: 62(2); 153-7.